




Vis à bois



Tête ronde fendue

Tête fraisée fendue

DIN 96  
XBR

DIN 97  
XBF

Vis à panneaux



Tête fraisée Pozidrive

DIN 9100  
XAP

Vis Parker



Tête fraisée bombée Torx

Tête cylindrique Torx

Tête fraisée Torx

DIN 9479  
XPTB

DIN 9477  
XPTC

DIN 9478  
XPTF

Ø 3 mm

L 12 mm	XBR03-12	0.15	B	L	XBF03-12	0.20	B	L
L 16 mm	XBR03-16	0.20	B	L	-	-	-	-
L 20 mm	-	-	-	-	XBF03-20	0.25	B	L

Ø 3.5 mm

L 16 mm	-	-	-	-
L 20 mm	XAP35-20	0.20	B	L
L 25 mm	XAP35-25	0.25	B	L
L 30 mm	XAP35-30	0.25	B	L
L 35 mm	XAP35-35	0.30	B	L

Ø 2.9 mm

L 13 mm	XPTB29-13	0.15	B	L	XPTC29-13	0.10	B	L	XPTF29-13	0.10	B	L
L 16 mm	XPTB29-16	0.15	B	L	XPTC29-16	0.15	B	L	XPTF29-16	0.10	B	L
L 19 mm	XPTB29-19	0.15	B	L	XPTC29-19	0.15	B	L	XPTF29-19	0.15	B	L

Ø 4 mm

L 16 mm	XBR04-16	0.30	B	L	-	-	-	-
L 20 mm	XBR04-20	0.35	B	L	-	-	-	-
L 30 mm	XBR04-30	0.45	B	L	XBF04-30	0.40	B	L
L 40 mm	XBR04-40	0.60	B	L	XBF04-40	0.55	B	L
L 50 mm	-	-	-	-	XBF04-50	0.60	B	L

Ø 4 mm

L 20 mm	XAP4-20	0.25	B	L
L 25 mm	XAP4-25	0.25	B	L
L 30 mm	XAP4-30	0.30	B	L
L 35 mm	XAP4-35	0.30	B	L
L 40 mm	XAP4-40	0.35	B	L
L 45 mm	XAP4-45	0.40	B	L
L 50 mm	XAP4-50	0.40	B	L

Ø 3.9 mm

L 13 mm	XPTB39-13	0.15	B	L	XPTC39-13	0.20	B	L	XPTF39-13	0.15	B	L
L 16 mm	XPTB39-16	0.20	B	L	XPTC39-16	0.20	B	L	XPTF39-16	0.20	B	L
L 19 mm	XPTB39-19	0.25	B	L	XPTC39-19	0.20	B	L	XPTF39-19	0.20	B	L
L 25 mm	XPTB39-25	0.25	B	L	XPTC39-25	0.25	B	L	XPTF39-25	0.25	B	L

Ø 5 mm

L 30 mm	XBR05-30	0.65	B	L	XBF05-30	0.65	B	L
L 40 mm	XBR05-40	0.75	B	L	XBF05-40	0.75	B	L
L 50 mm	XBR05-50	0.90	B	L	XBF05-50	0.85	B	L

Ø 4.5 mm

L 25 mm	XAP45-25	0.40	B	L
L 40 mm	XAP45-40	0.40	B	L

Ø 4.8 mm

L 13 mm	XPTB48-13	0.30	B	L	XPTC48-13	0.30	B	L	XPTF48-13	0.25	B	L
L 16 mm	XPTB48-16	0.35	B	L	XPTC48-16	0.35	B	L	XPTF48-16	0.25	B	L
L 19 mm	XPTB48-19	0.40	B	L	XPTC48-19	0.35	B	L	XPTF48-19	0.30	B	L
L 25 mm	XPTB48-25	0.45	B	L	XPTC48-25	0.45	B	L	XPTF48-25	0.35	B	L
L 32 mm	XPTB48-32	0.50	B	L	XPTC48-32	0.45	B	L	XPTF48-32	0.40	B	L

## Axes à languettes

En acier inox



Article N°	Ø mm	Longueur utile mm	Prix CHF	
RF115-A	6.3	12	18.00	F
RF115-B	6.3	19	21.50	F
RF115-D	6.3	25	16.00	F
RF117-F	9.5	38	19.50	F

## Broches autobloquantes

En acier inox



Article N°	Ø mm	Longueur utile mm	Prix CHF	
BW850	4.79	12.7	66.00	K
BW852	4.79	25.4	66.00	K
BW864	6.00	40.0	49.00	K
BW865	6.00	25.0	43.00	K
BW866	8.00	25.0	42.00	K
BW874	8.00	40.0	45.00	K
BW876	10.00	40.0	52.00	K

## Axes à languettes

En acier inox



	Longueur utile																	
	20 mm		25 mm		30 mm		40 mm		50 mm		60 mm		70 mm		80 mm			
Ø 5 mm	S3605-20	25.70	K	S3605-25	25.70	K	S3605-30	25.70	K	S3605-40	26.00	K	S3605-50	27.50	K	-	-	
Ø 6 mm	-	-	-	S3606-25	26.00	K	S3606-30	26.50	K	S3606-40	27.50	K	S3606-50	27.80	K	S3606-60	27.80	K
Ø 8 mm	-	-	-	S3608-25	28.00	K	S3608-30	28.50	K	S3608-40	28.50	K	S3608-50	28.50	K	S3608-60	28.50	K
Ø 10 mm	S3610-20	29.50	K	-	-	-	-	-	S3610-40	29.50	K	S3610-50	29.90	K	S3610-60	29.90	K	-